

Safety Data Sheet Champion Chemical Co.

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 800-451-8346 (24 hrs)

Transportation/Spill/Leak: CHEMTREC 800-424-9300

Revision Date: 03-Jan-2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: SUPER-CLEAN ORANGE

Product Number: 130

Recommended Use: Carpet & Upholstery cleaner

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Champion Chemical Co.

8319 S. Greenleaf Ave. Whittier, CA 90602 800-621-7868

www.championchemical.com

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity - Inhalation (Dusts/Mists) Category 4
Skin Corrosion/Irritation: Category 2
Serious Eye Damage/Eye Irritation: Category 2
Skin Sensitization: Category 1
Flammable Liquids Category 4

GHS Label Elements

Signal Word: Warning

Symbols:

Hazard Statements: Harmful if inhaled.

Causes skin irritation.

Causes serious eye damage May cause an allergic skin reaction Flammable liquid and vapor.

Precautionary Statements:

Prevention: Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area.

Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection Wear protective gloves

Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground container and receiving equipment. Use explosion-proof electrical equipment.

Use only non-sparking tools

Take precautionary measures against static discharge

Response:

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR

PHYSICIAN.

-Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower. If skin irritation or rash occurs: Get medical attention. Wash contaminated

clothing before reuse.

-Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician if you feel unwell

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Revision Date: 03-Jan-2015 130 - SUPER-CLEAN ORANGE

Fire: In case of fire: Use Water spray, fog or regular foam for extinction

Storage: Store in a well-ventilated place. Keep cool

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Do not dispose of this product by pouring on the ground, into storm sewers, waterways or

other surface waters.

Hazards Not Otherwise Classified: Not Applicable

Other Information: Harmful if swallowed

Keep out of reach of children.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alchohol	67-63-0	1-5
Sodium Olefin Sulfonate	68439-57-6	15-25
Non Ionic Surfactant	127087-87-0	1-2

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Skin Contact:

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

> easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin

irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse. -Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Hazardous Combustion Products:

Suitable Extinguishing Media: Water spray, fog or regular foam, Dry chemical

Specific Hazards Arising from the Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and

Chemical: flash back.

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

Precautions for Firefighters: protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water. Do not dispose of **Environmental Precautions:**

> this product by pouring on the ground, into storm sewers, waterways or other surface waters. Consult with local, federal and state authorities prior to disposal of any d-limonene

containing product into the sanitary sewer system.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with Methods for Clean-Up:

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Revision Date: 03-Jan-2015 130 - SUPER-CLEAN ORANGE

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits: None established.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alchohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67.62.0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
67-63-0		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	

Provide good general ventilation. **Engineering Controls:**

> If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection: Wear splash goggles.

Skin and Body Protection: Wear rubber or other chemical-resistant gloves.

Respiratory Protection: Not required with expected use.

> If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

Wash hands and any exposed skin thoroughly after handling. **General Hygiene Considerations:**

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid	
Color:	Amber	
Odor:	Amyl Acetate Scent	
pH:	7-8	
Melting Point / Freezing Point:	No information available.	
Boiling Point / Boiling Range:	> 100 °C / 212 °F	
Flash Point:	51 °C / 124 °F ASTM D56	
Evaporation Rate:	< 1	
Flammability (solid, gas)	No information available.	
Upper Flammability Limit:	No information available.	
Lower Flammability Limit:	No information available.	
Vapor Pressure:	No information available.	
Vapor Density:	No information available.	
Specific Gravity:	0.98	
Solubility(ies):	Soluble in water	
Partition Coefficient:	No information available.	
Autoignition Temperature:	No information available.	
Decomposition Temperature:	No information available.	
Viscosity:	No information available.	

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Extremes of temperature and direct sunlight. **Conditions to Avoid: Incompatible Materials:** Strong oxidizing agents. Strong acids.

Hazardous Decomposition

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Revision Date: 03-Jan-2015 130- SUPER-CLEAN ORANGE

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

Pain, redness and cracking of the skin. -Skin Contact: Nasal discomfort and coughing. -Inhalation: -Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: Central nervous system. -Eves. Respiratory System. -Skin.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 2301 mg/kg ATEmix (dermal): 4814 mg/kg ATEmix (inhalation-dust/mist): 2.6 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
sodium olefin sulfonate 68439-57-6	= 2310mg/kg (Rat)	= 6300 mg/kg (Rabbit)	Not Available
Isopropyl Alchohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
sodium olefin sulfonate 68439-57-6	Not Available	1.0 - 10.0: 96 h Brachydanio rerio mg/L LC50 static 12.2: 96 h Brachydanio rerio mg/L LC50 semi-static	Not Available	Not Available
Isopropyl Alchohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50

No information available. Persistence and Degradability: No information available. Bioaccumulation:

No information available. Other Adverse Effects:

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations. **Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number: D001

14. TRANSPORT INFORMATION

Not Regulated

Proper Shipping Name: Non-Hazardous Product

Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG: Not Regulated

Non-Hazardous Product **Proper Shipping Name:**

130 - SUPER-CLEAN ORANGE Revision Date: 03-Jan-2015

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:

Chronic Health Hazard:

No
Fire Hazard:

Sudden release of pressure hazard:

No
Reactive Hazard:

No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA Health Hazards: 1 Flammability: 1 Instability: 0 Special: N/A

Health Hazards: 1 Flammability: 1 Physical Hazards: 0

Revision Date: 3-Jan-2015

Reasons for Revision: No information available.

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet