

MSDS - Material Safety Data Sheet

Product Name: Velva Sheen

MSDS No.: 130

I. Basic Information:

Manufacturer: Majestic Wax Company
Address: 6035 East 38th Avenue
City, ST Zip: Denver, CO 80207

Last Update: 5/20/99

Chemical State: ☒ Liquid ☐ Gas ☐ Solid

Chemical Type: ☐ Pure ☒ Mixture



1	Health
2	Flammability
0	Reactivity
	Pers. Protection

II. Ingredients:

CAS No.	Chemical Name	% Range	EHS	NTP	IARC	SARA SUB Z 313	OSHA PEL	ACGIH TLV	Other Limits
0	Hydrocarbon solvent								
0	Mineral oils, untreated and mildly-treated oils								

III. Hazardous Identification:

Hazard Category:

☒ Acute ☐ Chronic ☐ Fire ☐ Pressure ☐ Reactive

Hazardous Identification Information:

Excessive inhalation may cause minimal irritation, drowsiness, headache, and nausea.

IV. First Aid Measures:

Route(s) of Entry:

Eyes, Inhalation, Ingestion, and Skin

Health Hazards (Acute and Chronic):

Excessive inhalation may cause minimal irritation, drowsiness, headache, and nausea.

Signs and Symptoms:

Excessive inhalation may cause minimal irritation, drowsiness, headache, and nausea. Prolonged skin contact may cause dermatitis. May cause minimal eye irritation.

Medical Conditions Generally Aggravated by Exposure:

Preexisting skin and eye conditions

Emergency and First Aid Procedures:

Contact with eyes- flush with large amounts of water. Contact with skin: wash with soap and water. If swallowed do not induce vomiting, call physician. With excessive inhalation remove to fresh air.

Other Health Warnings:

None Known

MSDS - Material Safety Data Sheet

Product Name: Velva Sheen

MSDS No.: 130

V. Fire Fighting Measures:

Flash Point: 201 F **Lower Explosive Limit:** NE **Upper Explosive Limit:** NE

Fire Extinguishing Media: Carbon Dioxide, Foam, Dry Chemical. Water not recommended

Special Fire Fighting Procedures:

Suitable protective equipment for combating hydrocarbon fires.

Unusual Fire and Explosion:

Possible Dense Smoke. This material will not explode spontaneously.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Wipe dry or absorb with suitable material. Do not leave surface slippery. Disposal of rags or other absorbents must be in accordance with federal, state, and local hazardous waste regulation.

VII. Handling and Storage:

Precautions to be Taken:

Keep away from heat and open flame

Other Precautions:

None Known

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Local exhaust. Do not use in a closed confined space.

Personal Protective Equipment:

Oil resistant gloves optional

Eye Protection Precautions should be taken to avoid product from splashing into eyes. Safety goggles or face shield optional.

IX. Physical and Chemical Properties:

Boiling Point: 500F **Melting Point:** NE **Evaporation Rate:** NE

Vapor Pressure (mm Hg.): <1mm **Vapor Density (AIR = 1):** NE

Solubility In Water: Nil

Appearance and Odor: Pale Amber, no objectionable odor

Other Information: None Known

X. Stability and Reactivity:

Stability:

Stable

Incompatibility (Materials to Avoid):

Incompatible with strong oxidizing agents such as nitric acid, hydrogen peroxide, and chromic acid.

MSDS - Material Safety Data Sheet

Product Name: *Velva Sheen*

MSDS No.: 130

Decomposition/By Products:

Carbon minoxide, coumuston products or nitrogen and sulfur.

Hazardous Polymerization:

Will not occur

XI. Toxicological Information:

None Known

XII. Ecological Information:

None Known

XIII. Disposal Considerations:

Disposal according to all pertaining hazardous waste regulations.

XIV. Transport Information:

None Known

XV. Regulatory Information:

None Known

XVI. Other Information:

The information accumuated herein is believed to be accurate, but is not warranted to be, whether originated from the company or not. Reciepients are advised to confirm, in advanced of their need, that the information is current, applicable and suitable and suitable to their circumstances

EMERGENCY TELEPHONE NO. 419-524-5112

Distributed by-G & L Supply 139 N. Diamond St. Mansfield, Oh 44901

The Janton Company 1288 N. High St. Columbus, Oh 43201