

# LIFT-OFF BASEBOARD STRIPPER

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : LIFT-OFF BASEBOARD STRIPPER

Other means of identification Not applicable

Recommended use Maintenance Product

Restrictions on use Reserved for industrial and professional use.

Product dilution information Product is sold ready to use.

Company Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

**Emergency health** 

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date 10/18/2019

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable aerosols : Category 2 Skin corrosion : Category 1A Serious eve damage : Category 1

single exposure

Specific target organ toxicity - : Category 3 (Central nervous system)

#### **GHS** label elements

Hazard pictograms







Signal Word : Danger

**Hazard Statements** Flammable aerosol.

Causes severe skin burns and eye damage.

May cause drowsiness or dizziness.

**Precautionary Statements** : Prevention:

> Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dusts or mists. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection. Intentional misuse by deliberate inhalation may be harmful or fatal.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several

969113 1/9

### LIFT-OFF BASEBOARD STRIPPER

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash

contaminated clothing before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

 Chemical name
 CAS-No.
 Concentration (%)

 Butane
 106-97-8
 5 - 10

 2-butoxyethanol
 111-76-2
 5 - 10

 propane
 74-98-6
 5 - 10

 Isopropanol
 67-63-0
 1 - 5

### **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Pressurised container: May burst if heated.

Flammable aerosols

969113 2 / 9

### LIFT-OFF BASEBOARD STRIPPER

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Contents under pressure. Do not puncture. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE).

Conditions for safe storage : Keep in a cool, well-ventilated place. Do not store near acids. Keep

out of reach of children. Keep container tightly closed. Store in

suitable labeled containers.

Storage temperature : 20 °C to 45 °C

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		STEL	1,000 ppm	ACGIH
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z1
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm	OSHA Z1

969113 3 / 9

### LIFT-OFF BASEBOARD STRIPPER

			1,800 mg/m3	
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		STEL	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

## Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : aerosol

Color : clear, colorless
Odor : ammoniacal

pH : 12.0 - 13.0, (100 %)

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 35 °C

Evaporation rate : No data available
Flammability (solid, gas) : Not applicable
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : No data available
Relative vapor density : No data available

969113 4 / 9

### LIFT-OFF BASEBOARD STRIPPER

Relative density : 0.981 - 1.001 Water solubility : No data available

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available : No data available Viscosity, kinematic Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

Heat of combustion : 11.63 kJ/g

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

> **Bases** Metals

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Eye contact, Skin contact

exposure

#### **Potential Health Effects**

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation. Inhalation may cause

central nervous system effects. Intentional misuse by deliberate

inhalation may be harmful or fatal.

Chronic Exposure : Health injuries are not known or expected under normal use.

969113 5/9

### LIFT-OFF BASEBOARD STRIPPER

#### **Experience with human exposure**

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough, Dizziness, Drowsiness

**Toxicity** 

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : 116.59 mg/l

Test atmosphere: vapor

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

aquatio invertebrates

: No data available

Toxicity to algae

Components

Toxicity to fish : Butane

96 h LC50 Fish: 22.03 mg/l

2-butoxyethanol 96 h LC50: 1,474 mg/l

Isopropanol

96 h LC50 Pimephales promelas: 9,640 mg/l

969113 6 / 9

### LIFT-OFF BASEBOARD STRIPPER

Components

Toxicity to daphnia and other : 2-butoxyethanol

aquatic invertebrates

2-butoxyethanol 48 h EC50: 690 mg/l

Isopropanol

LC50 Daphnia magna (Water flea): > 10,000 mg/l

Components

Toxicity to algae : 2-butoxyethanol

72 h EC50: 911 mg/l

Persistence and degradability

Readily biodegradable.

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

### **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1950

Description of the goods : Aerosols

Class : 2.1

Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1950

Description of the goods : AEROSOLS

Class : 2.1

969113 7/9

### LIFT-OFF BASEBOARD STRIPPER

Marine pollutant : no

### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

Skin corrosion or irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

2-butoxyethanol 111-76-2 5 - 10 %

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
Butane	106-97-8	Propellant	Not Applicable
2-butoxyethanol	111-76-2	Solvent	20
propane	74-98-6	Propellant	Not Applicable
Isopropanol	67-63-0	Solvent	20

<sup>\*</sup>refer to ecolab.com/sds for electronic links to designated lists

### The ingredients of this product are reported in the following inventories:

#### Switzerland. New notified substances and declared preparations :

On the inventory, or in compliance with the inventory

#### **United States TSCA Inventory:**

On TSCA Inventory

### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

### Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

### New Zealand. Inventory of Chemical Substances:

not determined

#### Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

969113 8 / 9

### LIFT-OFF BASEBOARD STRIPPER

### Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

# Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

## China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

### Taiwan Chemical Substance Inventory (TCSI):

On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

#### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 10/18/2019

Version : 1.4

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

969113 9 / 9