

AERVOE-PACIFIC CO -- MARKING PAINT - CONTAINING LEAD S-22 -- 8010-00N014013

===== Product Identification =====

Product ID:MARKING PAINT - CONTAINING LEAD S-22

MSDS Date:01/01/1987

FSC:8010

NIIN:00N014013

MSDS Number: BKKKW

=== Responsible Party ===

Company Name:AERVOE-PACIFIC CO

Address:1198 SAWMILL RD

City:GARDNERVILLE

State:NV

ZIP:89410

Country:US

Info Phone Num:702-782-0100

Emergency Phone Num:702-782-0100

CAGE:33451

=== Contractor Identification ===

Company Name:AERVOE-PACIFIC CO, INC.

Address:1198 SAWMILL RD

Box:City:GARDNERVILLE

State:NV

ZIP:89410

Country:US

Phone:(702)-782-0100

CAGE:33451

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENT BLEND (ALIPHATIC, AROMATIC HYDROCARBONS IN
COMBINATION WITH HYDROCARBON PROPELLENT)

Fraction by Wt: 75%

Other REC Limits:100 PPM (MFR)

Ingred Name:LEAD CHROMATE. (TLV AS PROPOSED LIMIT FROM NOTICE OF
INTENDED CHANGES FOR 1990-91.)

CAS:7758-97-6

RTECS #:GB2975000

Fraction by Wt: 5%

Other REC Limits:TLV:0.012 MG(CR)/M3

OSHA PEL:0.1 PPM (CRO*3), C

ACGIH TLV:0.05 MG(PB)/M3

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:ACUTE:INGEST:LARGE AMOUNTS MAY CAUSE
LEAD POISONING. INHAL:ANAESTHETIC IRRITATION OF RESPIRATORY TRACT
OR ACUTE NERVOUS SYSTEM DEPRESSION CHARACTERIZED BY HEADACHE,
DIZZINESS, NAUSEA, OR POSSIBLE UNCONSCIOUSNESS. EYE:PRIMARY
IRRITATION. SKIN:PROLONGED OR REPEATED CONTACT MAY CAUSE
DERMATITIS. (SEE EFTS OF OVEREXP)

Explanation of Carcinogenicity:LEAD CHROMATE:IARC, NTP-GROUP 1.

Effects of Overexposure:HLTH HAZ:OVEREXPOSURE TO VAPORS MAY PRESENT
ADDITIONAL HAZARDS. CHRONIC:EXCESSIVE CHRONIC EXPOSURE TO LEAD MAY
CAUSE METALLIC TASTE IN MOUTH ACCOMPANIED BY NAUSEA, VOMITING AND
WEAKNESS. REPORTS HAVE ASSOC RPTD/PRLNGD OCCUPATIONAL OVEREXPOS TO
SOLVENTS W/PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE .

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL:REMOVE FROM EXPOSURE AND RESTORE BREATHING. GET MD.
EYES:FLUSH IMMEDIATELY W/WATER FOR AT LEAST 15 MINUTES AND TAKE TO
MD. SKIN:WASH AFFECTED AREA. REMOVE CONTAMINATED CLOTHING. SEE MD
IF IRRITA TION PERSISTS. INGEST:GET MD IMMEDIATELY .

===== Fire Fighting Measures =====

Flash Point:-19F,-28C
Lower Limits:1.0
Extinguishing Media:CO*2, DRY CHEMICAL, OR FOAM. ANY CLASS B FIRE
EXTINGUISHING AGENT MAY BE USED FOR FIREFIGHTING.
Fire Fighting Procedures:WATER SPRAY MAY BE INEFFECTIVE BUT MAY BE USED
TO COOL CNTNRS EXPOSED TO HEAT/FIRE TO PVNT PRESS BUILD UP. USE
NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP .
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE DUE TO
BUILD UP OF PRESSURE FROM EXTREME HEAT OR FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION, FLAMES,
SPARKS, ELECTRICAL, STATIC ELECTRICITY, ETC. ENSURE AREA IS
VENTILATED. SOAK UP W/INERT ABSORBENT USING NON-SPARKING TOOLS.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. DO NOT STORE
OR USE NEAR HEAT, FLAME OR SPARKS.
Other Precautions:DO NOT GET IN EYES. AVOID SKIN CONTACT. PREVENT
PROLONGED OR REPEATED BREATHING OF VAPORS OR SPRAY MIST. DO NOT
TAKE INTERNALLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED CHEMICAL MECHANICAL
RESPIRATORS FOR USE WITH SOLVENT CONTAINING PAINT.
Ventilation:VENTILATE TO KEEP SOLVENT VAPOR BELOW TLV.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE AND BEFORE
EATING, SMOKING OR USING SANITARY FACILITIES .
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V3
Boiling Pt:B.P. Text:-10F,-23C
Vapor Pres:50-60 PSIG
Vapor Density:HVR/AIR
Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
UNAVAILABLE.
Stability Condition to Avoid:HIGH TEMPERATURES.
Hazardous Decomposition Products:CARBON MONOXIDE AND POSSIBLE TRACES OF
OXIDES OF LEAD AND CHROMIUM.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF I/A/W LOCAL, STATE & FEDERAL
REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.